January 2013

DTB II

Delta-T Booster II (Sensors not included)



101 Frazee Avenue • Dartmouth Nova Scotia · Canada · B3B-1Z4

Tel: (902) 468-1001 Fax: (902) 468-1002

solarinfo@thermo-dynamics.com www.thermo-dynamics.com

RETAIL Price List			
Product #	Description	Retail	
		\$	
Solar Boiler™	⁴ Systems c/w module, collector(s), K1055, K1060, K2030-50, P	V20, TG270SB	
	Solar Storage Tank Included		
SB32-9 PVT	SBM-9, S32B semi-selective painted collector	4535	
SB64-9 PVT	SBM-9, S32A, S32B semi-selective painted collectors	5583	
	ems INCLUDETG270SB Solar Storage Tank with connections		
CSA certified - E	Energy Ratings - SB32-9PV = 6.11 GJ/yr - SB64-9PV = 9.99 GJ/yr - Highest in	Canada	
Solar Boiler™	Systems c/w module, collector(s), K1055, K1060, K2030-50, P	V20	
	es. Solar Storage tank not included		
SB32-9 PV	SBM-9, S32B semi-selective painted collector	4034	
SB64-9 PV	SBM-9, S32A, S32B semi-selective painted collectors	5082	
Solar Collect	ors		
G32 - P	4' x 8' grid, 3/4" headers, semi-selective painted surface	999	
G32 - SP *	4' x 8' grid, 3/4" headers, selective surface	1128	
GXX	I" header - additional charge	92	
GU34	3/4" unions installed on grid collector - additional charge	32	
S32A - P	4' x 8' serpentine, semi-selective painted surface	999	
S32B - P	4' x 8' serpentine, semi-selective painted surface	999	
S32A - SP *	4' x 8' serpentine, selective surface	1128	
S32B - SP *	4' x 8' serpentine, selective surface	1128	
ST or GT	4' x 8' - 4" thick collector additional charge	89	
Solar Boiler™	/ Modulo	NEW 2012	
SBM-13DC*	Solar Boiler™ module MAG DRIVE (12 VDC)	2245	
	Solar Boiler™ module eMAG DRIVE (12 VDC)**	2746	
301 113D CEI IAC	**INCLUDES 60 IG (270 liter) TG270SB storage tank	27-10	
eMAG Solar I		NEW 2012	
P24070eMAG	eMAG Solar Pump™, 2.4 L/min	512	
P50140eMAG	eMAG Solar Pump™, 5.0 L/min	538	
	M, Magnetic Drive and Direct Drive	_	
P24070	Solar Pump™, (Pump/motor/LCB) 2.4 L/min - 70 GPH	617	
P50140	Solar Pump [™] , (Pump/motor/LCB) 5.0 L/min - 140 GPH	637	
P118330**	Solar Pump™, (Pump/motor/LCB) 11.8 L/min - 330 GPH	729	
P24070M**	Solar Pump™, P24070 - Magnetic Drive - built-in strainer n/a	651	
P50140M**	Solar Pump™, P50140 - Magnetic Drive - built-in strainer n/a	671	
PV modules a	and LCB		
PV20	20 watt PV module	279	
PV30	30 watt PV module	329	
DID	D. T. D. W. C. C. C. L. L. D.	1	

Visit us on the web at: www.thermo-dynamics.com Email us at: solarinfo@thermo-dynamics.com

PRICE LIST 2012 (Retail)

Product #	Description	Retail
		\$
Pumps, Mot	ors and accessories	
BP015	Pump (brass, rotary vane) c/w built-in strainer (replaces 1521)	24!
BP070	Pump (brass, rotary vane) c/w built-in strainer (replaces 1505)	223
BP140	Pump (brass, rotary vane) c/w built-in strainer 140 GPH	247
BP330**	Pump (brass, rotary vane) 330 GPH - built-in strainer n/a	340
BP070M**	Pump (brass, rotary vane) 70 GPH - Magnetic Drive	298
BPI40M**	Pump (brass, rotary vane) 140 GPH - Magnetic Drive	313
MPS-DCM**	Pump/motor set (includes MDCF and BP070M)	540
MPS-DC	Pump/motor set (includes MDCV and BP070)	47.
MDCV	DC motor, (1/15 hp, 20 watts), V-band mount	26.
MDCF	DC motor, (1/15 hp, 20 watts), flange mount	230
RH-I	Rubber Hoses c/w 1/2" female swivel fitting, pair	3
RES	Solar Pump Resevoir Unit	459
I	W.L.	
Installation K2030-50	Copper tube kit, 50' (3/8" & 3/4") - 3/4" Wall	417
GTSW	G Series Sensor Well	9
GAV	G Series Auto Air Vent Assembly	5:
GAV GDV	G Series Drain Valve Assembly	4:
STSE	S Series Sensor Enclosure, brown	
313E U34	3/4" Union for G Series Collectors	2!
K4000		3
CT6-50	Solar Boiler PRV upgrade kit	107
LVT16/4	Copper tube (50' \times 3/8") PV and Sesnor Wire, 16 gauge, 4 conductor, per foot	0.6
CTI	Pipe insulation 3/8"ID x 3/4" wall, per 6 ft length	14
CII	Fipe insulation 3/6 iD x 3/4 wall, per 6 it length	<u> </u>
Slimduct Co	nduit	
SD100	Slimduct Conduit, 6.5 feet	30
SJ100	Slimduct Coupler	10
SW100	Slimduct Wall Inlet	24
SC100	Slimduct Vertical Elbow	24
SK100	Slimduct Flat Elbow	19
SEN100	Slimduct End Fitting	1
SFLEX	Slimduct Flexible Elbow	19
Collector Ra	al Vita	
K1000	Galvanized strut, I-5/8", per foot (Unistrut) HDG	5.7
K1002	Galvanized strut - single tier upright - for pitched roof	26
K1002 K1004	Galvanized strut - single tier upright - 45° - ground or flat roof	27
K1006	Galvanized strut - single tier upright - 60° - ground or flat roof	287
K1050	Flush mount kit (for 1 G or S collector)	4
K1052S	Single collector pinch clip, c/w spring nut and ss bolt	6.60
K1052D	Double collector pinch clip, c/w spring nut and ss bolt	8.20
K1055	Flush mount kit (for 2 S collectors)	7
K1056	Flat roof kit (for 2 S collectors)	390
K1057	Flat roof kit (for 1 S collector)	18
K1058	Inclined roof kit (for 2 S collectors)	342
K1059	Inclined roof kit (for 1 S collector)	158
K1060	PV module mounting kit (mounts PV20 to collector)	39
121000	The module mounting kit (mounts 1 420 to collector)	<u> </u>
Storage Tan	ks	
TG180	Tank - glass lined (180 liter glass lined)	400
TG270	Tank - glass lined (270 liter glass lined)	500

500

Tank - glass lined (180 liter glass lined) Tank - glass lined (270 liter glass lined)

TG270

Product #	Description	Retail
		\$
Miscellaneou		1
GLYUSP	Propylene glycol, USP pure (\$/litre)	11.58
GLYUSM	Propylene glycol, USP mixed 40/60 with Distilled water (\$/litre)	6.8
GL-30	Solar controller (120 VAC)	227
SAS-10	Thermistor temperature sensor (10,000 ohm)	20
SAS-10C	Thermistor temperature sensor (10,000 ohm) - copper casing	2:
P1542F	Grundfos circulator (15 ft-21 USGPM)	17:
PS1542F	Grundfos circulator (3 Speed)	174
PI518SU	Grundfos circulator SS (7 ft-11 USGPM) c/w unions	294
P2699BF	Grundfos circulator Bronze (30 ft-35 USGPM)	467
PFL	Flanges, pair (P008 or P009 or P1542 or P2699F)	29
Solar Glass		
GL24 *	Solar glass (34" x 96") tempered	18
GL25 *	Solar glass (46" x 76") tempered	194
GL28 *	Solar glass (46" x 84") tempered	214
GL32	Solar glass (46" x 96") tempered	196
GL40	Solar glass (46" x120") tempered	304
GLC	Solar glass crate (per 1-3 sheets)	58
	or Absorbers and Headers	414
AG25 *	4' x 6.5' grid, 3/4" headers	410
AG32 - P	4' x 8' grid, 3/4" headers, semi-selective painted surface	430
AG32 - SP	4' x 8' grid, 3/4" headers, selective surface	528
AG40 - P	4' x 10' grid, 3/4" headers	515
AS25 *	4' x 6.5' serpentine	323
AS32 - P	4' x 8' serpentine, semi-selective painted surface	374
AS32 - SP	4' x 8' serpentine, selective surface	520
AS40 - P	4' x 10' serpentine	499
RNI2	Round-rhombic nipple, 12 mm	2.00
H075 H100	Header, 3/4", c/w brazed nipples Header, I", c/w brazed nipples	54 78
	Fredder, Fryd Wrazed IIIDDIES	
Sunstrip™ So		
SS1 4 6/12	146 mm fin/12 mm tube (\$/sq.m)	55
SS146/12 - P	146 mm fin/12 mm tube, semi-selective surface (\$/sq.m)	72
SS146/12 - SP*	146 mm fin/12 mm tube, selective surface (\$/sq.m)	101
SScutting	Cutting charge for fin	1.60
DTL Shell-an	d-tube Heat Exchangers	
2" Diameter	Shell-and-Tube Heat Exchangers	
D2T7L3	2" by 3' all copper shell-and-tube	536
D2T7L 4	2" by 4' all copper shell-and-tube	631
	2" each extra foot add (for custom orders)	96
	Shell-and-Tube Heat Exchangers	1
D3T14L3	3" by 3' all copper shell-and-tube	817
D3T14L4	3" by 4' all copper shell-and-tube	962
D3T14L6	3" by 6' all copper shell-and-tube	1253
	3" each extra foot add (for custom orders)	149
	Shell-and-Tube Heat Exchangers	1/2/
D4T28L4	4" by 4' all copper shell-and-tube	1620
D4T28L6	4" by 6' all copper shell-and-tube	2095
D4T28L8	4" by 8' all copper shell-and-tube	2569
D4T28L12	4" by 12' all copper shell-and-tube	3518
v 1 · · · ·	4" each extra foot add (for custom orders)	242
 Limited duant 	ities available. For repairs only.	

Thermo Dynamics Ltd. (TDL) Terms and Conditions of Sale *

Payment and Taxes

Payments are to be made according to the terms of payment on TDL invoices. TDL will charge, on any amount upaid 30 days after invoice date, interest each month at two percent (2%), which represents (26.8%) per year.

Transportation Costs

Unless otherwise specified, all shipments are F.O.B. Thermo Dynamics Ltd., Dartmouth. Method and route of shipment shall be at the discretion of TDL unless purchaser shall specify otherwise. Any additional expense of the method or route of shipment specified by purchaser shall be borne by purchaser.

Packaging and Handling Costs

Unless otherwise specified, all shipments are subject to packaging/crating and handling costs. Method of packaging/crating shall be at the discretion of TDL.

Standard Packaging/Crating charges:

SB32-9PV \$80 per system
SB64-9PV \$120 per system
Solar Collectors \$35 per collector
Glass \$40 per sheet
Absorber Plates \$40 per absorber

Reserve of Ownership

TDL retains ownership of all products until full payment of the sale price.

Price and Price Adjustment

Prices are subject to change and will be those in effect on the date of shipment.

* This is an abbreviated set of Terms and Conditions of Sale. For a copy of the complete document, please contact TDL or download from our website.



SOLAR SPECIALISTS

101 Frazee Avenue • Dartmouth Nova Scotia • Canada • B3B-1Z4 Tel: (902) 468-1001 • Fax: (902) 468-1002 solarinfo@thermo-dynamics.com www.thermo-dynamics.com

"Since 1981"





SB32-9PV: **6.00** GJ/year SB64-9PV: **9.94***GJ/year

HAUTE EFFICACITÉ
r Boiler System only
PV: 6.00 GJ/year



*The highest energy output of all CSA approved systems!